


THIS IS A CAD PRODUCED DRAWING AND ALL MODIFICATIONS MUST BE CONDUCTED ON THE SYSTEM

DO NOT SCALE
IF IN DOUBT ASK

19-03G BLANK CAP



NOTES:
MAXIMUM WORKING PRESSURE 15 BAR
TEST PRESSURE 22.5 BAR

2 1/2" FEMALE INST
TO B.S. 336

3" ASME B16.24 CLASS 150 FLAT FACED FLANGE INLET

TOLERANCES UNLESS OTHERWISE STATED

CAST FEATURES BS 6615 - G
MACHINED DIMENSIONS ± 0.25 (0.01")
ANGULAR DIMENSIONS ± 30'


GAUGES

N/A

MATERIAL SPECIFICATION

B.S.1400 LG2 - SEE DETAILS

GENERAL NOTES

- THIRD ANGLE PROJECTION 
- ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
- UNLESS OTHERWISE STATED SURFACE FINISH SPECIFICATIONS ARE TO BS 1134 - N7
- ALL BURRS AND SHARP EDGES ARE TO BE REMOVED

WALTER FRANK & SONS LTD.

WAKEFIELD ROAD
BARNSELEY S71 - 3LU
TEL : (01226) 201771
FAX : (01226) 284218

TITLE

BIBNOSE GLOBE VALVE
INLET: 3" ASME B16.24 CLASS 150 FLAT FACED FLANGE
OUTLET: 65 mm FEMALE INST (B.S.336)
SINGLE TWIST RELEASE

REV	DESCRIPTION	BY	DATE

SCALE	2:1	DRAWING NUMBER 51.76G/DATA
DRAWN BY	PJB	
DATE	14/12/99	
CHECKED BY		
DATE		

A4