



PPE Safety Catalogue

WWW.IRPLTD.COM

HEAD & FACE PROTECTION



MSA V-Gard® Hard Hat Cap Style

Features

- Polyethylene shell provides superior impact protection
- Fas-Trac III Suspension
- Available in a Orange, Red, Green & White
- Type 1, Class E

Certifications

- ANSI
- EN
- CSA

Material

- Polyethylene



MSA V-Gard® Full Brim Hat

Features

- Superior top impact protection
- Fas-Trac III suspension is the most comfortable on the market—preferred by 92% of users
- Designed for use with MSA accessories to ensure compliance with the helmet & accessory
- Multiple colors available
- Type 1, Class E

Certifications

- ANSI/ISEA Z89.1-2014
- CSA Z94.1-2014



MSA Terri-Band Sweatbands

Features

- Protect eyes and face from sweat and drips with these absorbent and comfortable sweatbands.
- Easily snaps into all MSA industrial helmets.
- Machine washable.



MSA V-Gard® Accessory Cap Frame

Features

- Quick change: Cam Lock system simplifies visor installation
- Built to Last: Designed to withstand the tough environments you face daily
- One Size Fits All: Designed to fit all MSA V-Gard Caps

Certifications

- ANSI/ISEA 125-2014

EYE PROTECTION



MSA Rx Overglasses

Features

- Rx Overglasses offer high protection while still providing excellent vision
- Fits over most prescription eyewear and feature horizontal and vertical adjustable temples, anti-fog lens and Tuff-Stuff™ anti-scratch lens coating

Certifications

- ANSI Z87.1-2020



MSA Arctic Elite Eyewear

Features

- A lightweight .92 ounces / 26 grams promises a comfortable fit
- Constructed of polycarbonate lens that stand up against high impacts
- Anti-fog coating ensures good vision under any conditions

Certifications

- ANSI Z87.1-2020



MSA Arctic Elite Eyewear (Dark)

Features

- A lightweight .92 ounces / 26 grams promises a comfortable fit
- Constructed of polycarbonate lens that stand up against high impacts
- Anti-fog coating ensures good vision under any conditions

Certifications

- ANSI Z87.1-2020



MSA Vista Eyewear

Features

- Tuff-Stuff Anti-scratch Coating provides excellent scratch resistance, extending lens life
- Lens angle adjustment using panto/retroscopic tilt
- Special indoor/outdoor lens for multi-environment work
- Filters 99.999% of UV rays (as noted)
- Clear lens also available

Certifications

- ANSI Z87.1-2020

EYE PROTECTION



Pyramex CROSSOVR™

Features

- Removable indirect vented rolled rubber gasket.
- Adjustable detachable strap with quick release.

Certifications

- ANSI/ISEA Z87.1-2020 + High Impact
- CAN/CSA Z94.3-2020
- CE/UKCA EN 166



MSA Sightgard® Goggles

Features

- Splash and impact resistant
- Great fitting body provides all day comfort
- Anti-fog coating protects against mist
- Indirect vent allows air to circulate and reduce fogging

Certifications

- ANSI Z87.1-2020



MSA OvrG™

Features

- Polycarbonate over-spec eye protectors
- Stylish enough to be worn with or without prescription eyewear
- Nearly 30% lighter than standard Visitor specs
- Anti-fog lens improves visibility (where noted)

Certifications

- ANSI Z87.1-2020



Pyramex I-Force®

Features

- Dual pane lens
- Outside lens is coated with anti-fog treatment
- Quick release interchangeable temples and strap
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Certifications

- CAN/CSA Z94.3-2020
- CE/UKCA EN 166
- MIL-PRF-32432
- ANSI/ISEA Z87.1-2020 + High Impact
- ASTM F2879-19 (Specific for AirSoft)

EYE PROTECTION



MSA Vault™ Safety Goggles

Features

- Splash and impact resistant performance
- Tuff Stuff™ anti-scratch coating for a clearer view
- Anti-fog coating for improved visibility
- Indirect venting for cool comfort

Certifications

- ANSI Z87.1-2020



MSA Spectacle Lanyard

Features

- Keeps spectacles and goggles around neck
- Black nylon construction for long-lasting wear
- Slip-on template loops keeps eyewear from slipping or falling



Pyramex Reatta

Features

- Adjustable rubber nosepiece
- Straight back flexible temples
- Vented lens allows airflow to prevent fogging

Certifications

- ANSI Z87.1-2020

HAND PROTECTION (Multiple Sizes Available)

Chemical Gloves



SHOWA Glove 747 Nitri-Solve® 19”

Features

- Provides excellent protection against abrasion, puncture, cut and snag and resistance to a broad range of solvents, animal fats and other chemicals.

Certifications

- Cat III
- EN 388:2016 :3001X
- EN ISO 374-1:2016/TYPE A (JKLOPT)
- EN ISO 374-5:2016



SHOWA 730 Nitri-Solve 13”

Features

- 100% Nitrile
- Textured Finish
- Forearm protection
- Chemical-resistant

Certifications

- Cat III
- EN 388:2016 :2001X
- EN ISO 374-1:2016/TYPE A (JKLOPT)
- EN ISO 374-5:2016



SHOWA 6797R 18”

Features

- Fully-coated neoprene
- Cotton liner
- Rough grip

Certifications

- Cat III
- EN 388:2016 :2111X
- EN ISO 374-1:2016/TYPE A (AKLMPST)
- EN ISO 374-5:2016
- EN 407:2020



SHOWA NSK24

Features

- Cotton liner
- Biodegradable Eco Best Technology® (EBT)
- 100% Nitrile
- Rough grip

Certifications

- Cat III
- EN 388:2016 :3112X
- EN ISO 374-1:2016/TYPE A (JKLOPT)
- EN ISO 374-5:2016
- EN 407:2020

HAND PROTECTION (Multiple Sizes Available)

Multipurpose Gloves



Showa Atlas Ventulus 380 Nitrile Foam Palm

Features

- Offering long-lasting grip in both wet and dry environments, the 380 general-purpose glove ensures tactile precision while working with small oily components or lifting heavy objects.
- Ergonomic & Lightweight

Certifications

- EN 388:2016 3121X



SHOWA S-TEX 541

Features

- Reinforced with a stainless steel liner and a polyurethane palm coating
- Cut-resistant
- Breathable

Certifications

- EN 388:2016
- ANSI/ISEA CUT A4
- ANSI/ISEA ABRASION A5
- ANSI/ISEA PUNCTURE A3



SHOWA 370B

Features

- Perfect for precise handling and general assembly, these durable gloves feature ultimate grip and comfort.
- Increased dexterity
- Seamless knit
- Machine washable

Certifications

- EN 388:2016 4121X



SHOWA ATLAS® 300B

Features

- The black rubber coating on these hard-wearing gloves hides signs of wear and reduces damage from harsh or dirty work environments.
- Form-fitting
- Extra Grip

Certifications

- EN 388:2016 2142XX

HAND PROTECTION (Multiple Sizes Available)

Multipurpose Gloves



ProFlex 922CR Nitrile Coated Cut-Resistant

Features

- Cut Resistant
- Dorsal Impact Protection
- High Strength Grip
- Machine Washable

Certifications

- ANSI Cut Level A3
- ANSI Impact Level A1
- EN 388 4442CP



Bob Dale Gloves Nitrile Coated 13 ga. HPPE (Cut/Impact)

Features

- Nitrile palm coating w/textured finish
- Elastic knit wrist w/hemmed cuff
- Foam padded palm
- Reinforced thumb saddle

Certifications

- ANSI Cut Level A3
- ANSI Impact Level A2
- EN 388 4X43C

High Temp Gloves

Disposable Gloves

Leather Gloves



SHOWA 8814

Features

- Machine washable
- Increased dexterity
- Easy donning and doffing
- Heat-resistant

Certifications

- EN 388:2016+A1:2018 1242X
- EN 407:2020 X2XXXX



SHOWA 7500PF

Features

- Disposable
- Biodegradable
- Flexible
- Latex-free

Certifications

- ISO 18889
- EN ISO 374-1:2016/TypeB
- EN ISO 374-5:20166



Majestic Combination Cowhide Drivers Glove

Features

- B Grade Grain Cowhide Palm & Index Finger
- Seamless Index Finger
- Kevlar Sewn

FALL PROTECTION



MSA V-FIT Harness

Features

- D-Ring Locations: Dorsal (back), chest
- Padding Locations: Shoulder
- Aluminum Hardware
- Multiple sizes available: XS, Standard & XL
- Chest and Back d-ring configuration
- Quick-connect racing buckles
- Shoulder Padding for increased comfort

Certifications

- ANSI Z359.11
- OSHA



MSA V-Form

Features

- Featuring a patent-pending RaceFORM™ buckle
- Chest and Back d-ring configuration
- Quick Connect racing buckles
- Shoulder padding for increased comfort

Certifications

- ANSI Z359.11
- OSHA



MSA Gravity® Welder Harness

Features

- Gravity series harnesses meet the needs of workers in specialty environments of specific work applications such as high heat, welding,
- Kevlar/Nomex material to resist welding splatter
- Back, chest and hip d-ring configurations

Certifications

- ANSI Z359.11
- OSHA



MSA V-FORM+ Harness

Features

- Multiple Sizes Available: XS, Standard & XL
- Chest and Back d-ring configuration
- Quick-connect racing buckles
- Shoulder padding for increased comfort

Certifications

- ANSI Z359.11
- OSHA

FALL PROTECTION



WARTHOG® Pass-Thru Harness

Features

- Nylon Polyester construction
- Robust steel hardware
- Break away lanyard keepers
- Premium label covers

Certifications

- ANSI Z359.11-2021



Malta Dynamics Double Leg Shock Absorbing Lanyard

Features

- Twin robust steel snap-hooks
- 4.5' - 6' stretch capabilities
- Stretch energy absorbing capabilities reduces lanyard sag and tripping hazard

Certifications

- ANSI Z359.13-2013



MSA V-SERIES Standard Shock Absorbing Lanyard

Features

- Twin large aluminum snap-hooks
- 6' adjustable length
- Lightweight design
- Clear and durable shock absorbing cover for protecting and easy reading labels

Certifications

- ANSI Z359.13-2013



MSA V-Series Twin Leg Welding Lanyard

Features

- Kevlar/Nomex web lifeline material
- Kevlar/Nomex protective energy absorbing cover
- Twin large aluminum snap-hooks

Certifications

- ANSI Z359.13/OSHA:
- CSA Z259.11-17:

FALL PROTECTION

V-EDGE™ Leading Edge Self - Retracting Lifeline

Features

- Retraction brake
- Leading-edge roll cage
- Hard-cased external energy absorb
- Clear inspectable housing

Certifications

- ANSI Z359.14 Class LE
- CSA Z259.2.2 SRL-LE
- EN360:2002
- OSHA



MSA V-TEC™ Self-Retracting Lifeline

Features

- Field servicable with minimal components
- High-impact, clear polycarbonate housing simplifies inspection
- Retraction dampening features control the cable speed
- 20, 20, 50 & 100 feet options available Stainless steel cable components

Certifications

- ANSI Z359.14 Class B
- CSA Z259.2.2
- EN360:2002
- OSHA



MSA V-TEC Web 6' Personal Fall Limiter

Features

- Class 1 Personal Fall Limiter
- Twin aluminium large snap-hooks
- Light weight, low-profile and compact design making it the most ergonomic PFL on the market
- Twin-link connector for reduced movement when connected to Harness
- Clear polycarbonate housing for easy internal inspections 6ft web legs

Certifications

- ANSI Z359.14-21



MSA Trauma Strap

Features

- MSA Suspension Trauma Strap
- 6 ft Length For Use With: Body Harness

Certifications

- ANSI/ISEA 125-2014
- OSHA 1910 & OSHA 1926
- OSHA 1910

FALL PROTECTION




MSA Double D-Ring Anchorage Connector Strap 6'

Features

- Used as a removable anchor strap for connection to an anchorage point when other means are not available.
- 5,000 lb. minimum breaking strength

Certifications

- ANSI Z359.1
- OSHA



MSA Vertical Beam Clamp

Features

- Vertical Beam Clamp is designed for use on both vertical and horizontal i-beams to create a fixed anchor point.
- Weight: 6.85 lbs
- Maximum personnel working load 310 lbs. /141 kg; maximum material working load 1000 lbs./454 kg

Certifications

- ANSI Z359.18



MSA Workman FP Stryder Beam Grip 4"-13.5" beam

Features

- Low-friction wear pads with Teflon® eliminate metal-to-metal contact and allow the FP Stryder Anchorage Connector to glide effortlessly along the beam flange
- 400-pound working capacity

Certifications

- ANSI Z359.1-2007

RESPIRATORY PROTECTION



MSA Advantage 420 Half-Face Respirator

Features

- Low profile design
- Increased comfort and balance
- Designed for easy integration with other PPE

Certifications

- NIOSH 29 CFR Part 1910.134



MSA Advantage 3200 Full Face Respirator

Features

- Increased comfort and balance
- State-of-the-art design to lower breathing resistance
- Scratch-resistant wraparound faceplate allows for wide field-of-vision
- Small, medium and large sizes

Certifications

- NIOSH 29 CFR Part 1910.134



MSA Advantage 4200 Full-Face Respirator

Features

- Increased comfort and balance
- State-of-the-art design to lower breathing resistance
- Scratch-resistant wraparound faceplate allows for wide field-of-vision
- Small, medium and large sizes

Certifications

- NIOSH 29 CFR Part 1910.134



MSA Advantage 1000 Full-Face Respirator

Features

- Increased comfort and balance
- Fully elastic, six-point head harness allows easy on/off
- Scratch-resistant wraparound faceplate allows for wide field-of-vision
- Small, medium and large sizes

Certifications

- NIOSH 29 CFR Part 1910.134

RESPIRATORY PROTECTION



MSA Advantage GME/P100 Combination Cartridge

Features

- Bayonet-style design for quick mounting
- Toxic gas and particulate protection
- Compatible with all MSA Advantage APRs

Certifications

- NIOSH-certified to 42 CFR, Part 84



MSA Advantage GME (Multi-Gas) Cartridge

Features

- Bayonet-style design for quick mounting
- Toxic gas and particulate protection
- Compatible with all MSA Advantage APRs

Certifications

- NIOSH-certified to 42 CFR, Part 84



MSA Advantage Low Profile P100 Particulate Cartridge

Features

- Bayonet-style design for quick mounting
- Particulate protection
- 99.97% filter efficiency level against all particulate aerosols
- Compatible with all MSA Advantage APRs

Certifications

- NIOSH-certified to 42 CFR, Part 84



MSA Paint Cover N95 Air Purifying Respirator

Features

- Reusable Snap-On Cover
- Package of 2

Certifications

- NIOSH-certified to 42 CFR, Part 84

RESPIRATORY PROTECTION



MSA Advantage N95 Snap-On Prefilter

Features

- One size fits all
- Sold in pack of 10

Certifications

- 42 CFR PART 84



MSA Flexi-Filter P100 Welding

Features

- Low profile making it ideal for use under welding hoods
- Low breathing resistance
- Particulate and nuisance odor protection

Certifications

- 42 CFR PART 84

PERSONAL GAS PROTECTION



MSA Altair 4XR Multi-Gas Detector

Features

- Configured with H2S, O2, CO and LEL Sensors
- Sense gas 2 times faster than the industry average
- 4-year instrument & sensor warranty
- Compliance at-a-glance with the Bump LED & on-screen checkmark
- Bump and calibrate with 1/2 the test gas and in 1/2 the time vs industry average
- MotionAlert alarm tells others that user has become immobile
- 24 hour run-time
- Less than 4 hour charge-time
- Data logging >50 hours

Certifications

- Class I, Division 1, Groups A, B, C & D
- Class II, Division 1, Groups E, F & G
- Class III, Division 1



MSA Altair 5X Multi-Gas Detector

Features

- High performance and industry leading detection response time with XCell Sensors.
- Sensor configuration to detect a wide range of gases.
- Probe and tube included for air sampling.
- Field-proven integral pump provides consistent gas flow.
- Requires about half of test gas typically used for calibration and bump tests.
- MotionAlert feature option tells others that user has become immobile.
- InstantAlert feature provides manual alarm to alert others.

Certifications

- Class I, Division 1, Groups A, B, C & D
- Class II, Division 1, Groups E, F & G
- Class III, Division 1



CONTACT US

IRP Fire & Safety Ltd.

119 Boundary Road,
San Juan
Trinidad & Tobago

+1-868-674-0693/4
csr.fse@irpltd.com
www.irpltd.com

IRP Fire & Safety Guyana

Lot 1, Rahaman's Park
East Bank Public Road,
Georgetown, Guyana

+592-502-4690

www.irpguyana.com